



your
**Digital Communication
Distributor**

Goodview Conference Panel, Agile Version

Make your writing and conference easier



We Value Both Design And Quality

The new integrated all-metal design, stylish appearance, better performance, multi-purpose machine, help you easily deal with various complicated meetings.



Computer



4K HD display



Projector



Audio



Remote video meeting



Writing whiteboard



Wireless Screen Sharing Connect Freely

It adopts a new connection and display way, computers, mobile phones, and tablets can wirelessly cast a screen with one-click. It can receive up to 9 signals through hard decoding technology, enabling content sharing between 9 parties' devices, making meetings more efficient.



Multi-screen switching



Reverse control



Touch return transfer



info@toshi.com.my




www.toshi.com.my



03 2787 9191


Tiny gadgets Work more efficiently

Intelligent addition of multi-dimensional graphics, tables, stickers, automatic recognition of graphics, stretchable rotation ruler and other small tools, free expression, only for more efficient work.



Intelligent Writing Express Your Idea Freely

With a beautiful capacitive touch pen, you can create a perfect original handwriting experience. It also has practical writing functions such as backhand erasing and moving, dragging to help you collaborate efficiently in meetings.



Built-in MindLinker videoconferencing software

Can support 500 parties to meet at the same time, greatly reduce the cost of enterprise use. Communication in different places, at any time unobstructed.



info@toshi.com.my



www.toshi.com.my



03 2787 9191


Frontier technology large size



No deviation, take glass and liquid crystal panel as a whole to reduce reflection, and effectively reduce the problem of wet fog, pen tip and handwriting movement track is almost to the same.


Conventional panels

Space between glass and liquid crystal panel ≥ 3 cm



Goodview super thin panels

glass and liquid crystal panel without gap



Independent Wireless Module Rich Application Interface

Seperate wireless and bluetooth module, high stability and confidentiality. Rich interface, extended functions to meet various application scenarios, able to link various computers, large screen, enjoy efficient meetings.



Real sound real visuality

Adopts the special cavity structure of 4 middle treble and independent bass units ,100 Hz to 20 KHz wide frequency domain, which supports intelligent EQ switching, human voice mode, and restores the real sound of people in the video to create rich, delicate and broad sound effects.



info@toshi.com.my




www.toshi.com.my



03 2787 9191

true 4 K, ultra-large, ultra-thin, ultra-clear

Highly integrated thin metal fuselage, exquisite technology appearance, 4 K ultra-high-definition screen, true restoration of every detail. Immerse delicate picture quality.



Android & Windows Dual System

Equipped with Android 8.0 system, optional OPS computer for extended Windows system, or connect to other devices with HDMI. The system can be switched with one-click. Satisfy your various demands and greatly improve the using efficiency of conference panel.

8G/256G Intel i5	Win10 Genuine system
4G/32G Memory	Android 8.0 System



Two installation methods to meet different requirements

Hanging



Wall Hanging



Application Cases

Conference tablet is widely used in business, medical, financial, manufacturing, education, training and other industries.



Medical Film



Industrial



Financial



Government



Enterprise



Education

Specification

Panel	Display size: 65/75/86inches DLED Backlight Image scale: 16:9 Viewing angle (CR > 10): (R/L 89 (Min.), U/D 89 (Min.)) Response time: 8ms	Display resolution: 3840x2160 Backlight life: 30000 hours Colors: 16.7M View angle: 178°
Operation System	Operating system: Android 8.0 Storage: Android 32GB *Optional Windows OPS Available: Windows 10, Processor : i5 or i7, 8GB RAM (Upgradeable) , 256GB SSD (Upgradeable)	CPU : ARM A73x2+A53x2 1.5GHz Memory: 4GB DDR4
Interfaces	Audio and video interface: HDMI INx3 (HDMI signal 2.0, HDCP 1.4/2.2), AUDIO OUTx1 Other interfaces: ACCESS 1 VGA IN x1 AUDIO IN x1 USB2.0 x3 USB3.0 3x3 RS232 x1	Network interface: RJ45x1, Wi-Fi (IEEE802.11ac 5GHz/IEEE802.b/g/n 2.4GHz)
Machine Parameters	VESA standard (mm): 800*400 Overall power: 400W (Max) Input voltage: AC~100-240V (50/60Hz) Storage environment: -20 ~ 60 °C 10% ~ 90% RH without condensate Product weight: Net weight: 53.35kg gross weight: 69.75kg	Audio horn: Treble 2x12w Work environment: 0 ~ 40 °C 10% ~ 90% RH without condensate Work temperature: 0-50°C Work humidity: 10%-85%RH



info@toshi.com.my



www.toshi.com.my



03 2787 9191

Available Models



Power switch on front side



Pre built in 2 x USB,
1 x Touch USB port



Connection ports on back side



Pre built in Pen mount



	GM65L1	GM75L1	GM86L1
Screen Size	65"	75"	86"
Product Size	1503.6(H)x901.6(V)x85.12(D)	1617.8(H)x961.9(V)x87.5(D)	1957.8(H)x1131.75(V)x99.62(D)
Display size	1428.48(H)x803.52(V)	1549.44(H)x871.56(V)	1895.04(H)x1065.96(V)
Brightness	450cd/m2	400cd/m2	450cd/m2
Contrast ratio	5000:1	4000:1	5000:1
Power Consumption	≤230W	≤350W	≤420W
Storage	32GB eMMC FLASH		
RAM	4GB DDR4		

Optional

Model	Description
STAND75	Display Stand Support Up to 75" Display
STAND86	Display Stand for 86"
OPS-i5	Windows OPS, i5, 8GB RAM, 256GB SSD
WDL	Wireless Display Adapter

